

# ML-M0625UR


## ML-M-UR series







Drawing No. A23273

		Lens Type	CCTV Lens	
		Focus Position	Reference Magnification	M.O.D
		Magnification	0.012	0.056
(mm)		Focal Length	6.19	6.22
Fno		Fno	2.50	16.00
NA		Numerical Aperture	-	-
WD/OD (mm)		Working/Object Distance	500.0 / 500.5	100.0 / 100.5
O/I (mm)		Object to Image Distance	565.31	165.31
(mm)		Mechanical Tube Length	47.80	
(mm)		Lens Back	12.43	12.73
(mm)		DOF @PCoC 0.04mm	1409.129	66.650
(μm)		Resolution @ λ=550nm	-	-
/	(mm)	Front/Rear Principal Position	17.22 / 6.21	17.20 / 6.20
/	(mm)	Entrance/Exit Pupil Position	11.78 / -38.81	11.74 / -38.81
/	(mm)	Entrance/Exit Pupil Diameter	2.43 / 20.14	2.45 / 20.14
(deg.)	H x V	Angle Of View	74.79 x 58.40	74.27 x 57.92
TV	(%)	TV Distortion	-2.668	-2.783
(%)		Relative Illumination	35.11	37.14
(g)		Weight	90	
		Mount	C mount	
(mm)		Image Circle	11	
		Largest Compatible Camera	2/3 Inch	

### ML-M0625UR



# WD=500.0mm Fno2.8







The content is subject to change at any time without notification.

株式会社 **モリテックス**      **MORITEX Corporation**

Technology center Lens design & Development technology  
 TEL +81 (0)48-218-2536    moritex.mvs@moritex.com  
 FAX +81 (0)48-462-6713    www.moritex.com



# WD=100.0mm Fno2.8







The content is subject to change at any time without notification.

株式会社 **モリテックス** MORITEX Corporation

Technology center Lens design & Development technology  
 TEL +81 (0)48-218-2536 moritex.mvs@moritex.com  
 FAX +81 (0)48-462-6713 www.moritex.com



# WD=300.0mm Fno2.8



The content is subject to change at any time without notification.

株式会社 **モリテックス** MORITEX Corporation

Technology center Lens design & Development technology  
 TEL +81 (0)48-218-2536 moritex.mvs@moritex.com  
 FAX +81 (0)48-462-6713 www.moritex.com

