



FOCAL LENGTH/焦点距離 : 12mm
 APERTURE RATIO/口径比 : 1 : 2.8

A	CLASS	NOMINAL LENGTH						PERPENDICULARITY TOLERANCE	CLASS	NOMINAL LENGTH ON SHORTER SIDE				
		L ≤ 10	10 < L ≤ 30	30 < L ≤ 100	100 < L ≤ 300	300 < L ≤ 1000	1000 < L ≤ 3000			L ≤ 100	100 < L ≤ 300	300 < L ≤ 1000	1000 < L ≤ 3000	
B	STRAIGHTNESS & FLATNESS TOLERANCE	H	±0.02	±0.05	±0.1	±0.2	±0.4	±0.6	±0.8	H	±0.2	±0.3	±0.4	±0.5
	ANGLE TOLERANCE	K	±0.05	±0.1	±0.2	±0.4	±0.6	±0.8	K	±0.4	±0.6	±0.8	±1.0	
C	LENGTH OF SHORTER SIDE OF ANGLE	L ≤ 10	10 < L ≤ 50	50 < L ≤ 120	120 < L ≤ 400	400 < L								
	CLASS	f	±1°	±30' (±0.5°)	±20' (±0.333°)	±10' (±0.166°)	±5' (±0.083°)							
D	STANDARD DIMENSION RANGE	L < 0.2	0.2 ≤ L ≤ 0.5	0.5 < L ≤ 3	3 < L ≤ 6	6 < L								
	CHAMFER TOLERANCE	f	±0.1	±0.2	±0.5	±1.0								
E	STANDARD DIMENSION RANGE	L < 0.2	0.2 ≤ L ≤ 0.5	0.5 < L ≤ 3	3 < L ≤ 6	6 < L								
	CHAMFER TOLERANCE	f	±0.1	±0.2	±0.5	±1.0								
F	STANDARD DIMENSION RANGE	L < 0.2	0.2 ≤ L ≤ 0.5	0.5 < L ≤ 3	3 < L ≤ 6	6 < L								
	CHAMFER TOLERANCE	f	±0.1	±0.2	±0.5	±1.0								

A	FINISH	BLACK ANODIZING	UNIT:mm	 Vision Creating Value
	SURFACE		MODEL NAME	
B	MATERIAL	ALUMINUM ALLOY	PART NAME	OUTLINE DRAWING
	CHAMFER		DRAWING NO.	A23580A0100101A-001
C	TOLERANCE CLASS		SHEET	1/1
	SCALE	1:1		
D	MARK	A-001	DATE(YMD)	2019.Dec.16
	COM-REV		CHANGE	NEW
E	DESIGNED	Kodaira	DRAWN	Kodaira
	CHECKED		APPROVED	 19.12.19 柴田
F	OLD DRAWING NO.			